

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)

[Preferences](#)

**Web** Results 1 - 10 of about 99,600 for **xml tag element attribute "namespace prefix" default w3c.** (0.32 sec)

### Namespaces in XML

The **namespace prefix**, unless it is **xml** or **xmlns**, must have been declared in a namespace declaration **attribute** in either the **start-tag** of the **element** where ...

[www.w3.org/TR/REC-xml-names/](http://www.w3.org/TR/REC-xml-names/) - 48k - [Cached](#) - [Similar pages](#)

### XML Information Set (Second Edition)

An **XML** processor must supply the **default** value of **attributes** declared in the DTD for a given **element** type but not appearing in the **element's start tag** ...

[www.w3.org/TR/xml-infoset/](http://www.w3.org/TR/xml-infoset/) - 52k - [Cached](#) - [Similar pages](#)

[ [More results from www.w3.org](#) ]

### Namespaces in XML

A.2 **XML Namespace Partitions**: A.3 Expanded **Element** Types and **Attribute** Names ...

Note that **default namespaces** do not apply directly to **attributes**. ...

[www.html2text.com/HTML2Text/text114209/TR/REC-xml-names/](http://www.html2text.com/HTML2Text/text114209/TR/REC-xml-names/) - 43k - [Cached](#) - [Similar pages](#)

### XML Namespaces

The **XML namespace attribute** is placed in the **start tag** of an **element** and has ... Defining a **default namespace** for an **element** saves us from using prefixes in ...

[www.w3schools.com/xml/xml\\_namespaces.asp](http://www.w3schools.com/xml/xml_namespaces.asp) - 26k - [Cached](#) - [Similar pages](#)

### XML.com: Using W3C XML Schema

An easy-to-read introduction to **XML Schema**, a **W3C XML** language for ... This **element** has **attributes** and non text children, thus we consider it as a ...

[www.xml.com/pub/a/2000/11/29/schemas/part1.html](http://www.xml.com/pub/a/2000/11/29/schemas/part1.html) - 36k - [Cached](#) - [Similar pages](#)

### XML.com: Namespaces and XSLT Stylesheets

... the **XML** processor treats all **elements** and **attributes** as being in the **default** ... These identify the two namespaces where the **element** and **attribute** names ...

[www.xml.com/pub/a/2001/04/04/trxml/index.html](http://www.xml.com/pub/a/2001/04/04/trxml/index.html) - 43k - [Cached](#) - [Similar pages](#)

### XML Namespaces

ATTLIST' prefix:element prefix:attribute type default>. Separator line. References and Advanced Readings. **W3C Namespaces in XML** Recommendation ...

[www.jqjacobs.net/web/xml/xml\\_namespaces.html](http://www.jqjacobs.net/web/xml/xml_namespaces.html) - 14k - [Cached](#) - [Similar pages](#)

### Ian Stuart's personal web site - XML and Namespaces, a brief ...

This defines **foo** as the prefix for the namespace for the **element tag**. The **attribute** ...

**Attributes** that have no **namespace prefix** are not in any namespace. ...

[lucas.ucs.ed.ac.uk/tutorials/namespaces/](http://lucas.ucs.ed.ac.uk/tutorials/namespaces/) - 19k - [Cached](#) - [Similar pages](#)

### SVG:Namespaces Crash Course - MDC

Note that this isn't the case for **attributes** with a **namespace prefix** (**attributes** that don't belong to the same **XML** dialect as the **tag**). ...

[developer.mozilla.org/en/docs/SVG:Namespaces\\_Crash\\_Course](http://developer.mozilla.org/en/docs/SVG:Namespaces_Crash_Course) - 31k - [Cached](#) - [Similar pages](#)

### A Quick Introduction to XML — Portal

Whitespace is used to separate **attributes** from the **tag-name** and each other. ... Note that

the <model> **element** and any children elements with no **default** ...  
[www.cellml.org/tutorial/xml\\_guide](http://www.cellml.org/tutorial/xml_guide) - 27k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►  
Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Info when you want it, right on your desktop  
Free! [Download Google Desktop](#)



[xml tag element attribute "namespa](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

## Refine Search

---

### Search Results -

Terms	Documents
L8 and 715/\$.CCLS.	23

---

**Database:** US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

**Search:** L8 and 707/\$.CCLS.

---

### Search History

---

**DATE:** Tuesday, March 14, 2006 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u>	<u>Hit Count</u>	<u>Set</u> <u>Name</u> result set
side by side		
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L11</u> L8 and 715/\$.CCLS.	23	<u>L11</u>
<u>L10</u> L8 and 707/\$.CCLS.	118	<u>L10</u>
<u>L9</u> L8 and 707/\$.CCLS	0	<u>L9</u>
<u>L8</u> xml same database and stor\$4 same quer\$6 same retriev\$4 and sql and tag and element and attribute and column and path	194	<u>L8</u>
<u>L7</u> xml same database and stor\$4 same quer\$6 same retriev\$4 and sql and tag and element and attribute and column	279	<u>L7</u>
<u>L6</u> xml same database and stor\$4 same quer\$6 same retriev\$4 and sql and tag and element and attribute	366	<u>L6</u>
<u>L5</u> xml same database and stor\$4 same quer\$6 same retriev\$4 and sql and tag	478	<u>L5</u>
<u>L4</u> xml same database and stor\$4 same quer\$6 same retriev\$4 and sql	892	<u>L4</u>
<u>L3</u> xml same database and stor\$4 same quer\$6 same retriev\$4	1356	<u>L3</u>
<u>L2</u> xml same database and quer\$6 and retriev\$4	4708	<u>L2</u>

L1 xml and database and quer\$6

12229 L1

END OF SEARCH HISTORY